Material Safety Data Sheet



1. Product and company identification

Product name Iloform Stick Wax

MSDS# 467222 08039 **Historic MSDS #:**

Code 467222-US25

Product use rease for industrial applications.

For specific application advice see appropriate Technical Data Sheet or consult our company

representative.

Manufacturer Castrol Industrial North America, Inc.

150 W. Warrenville Road Naperville, IL 60563

Wakefield Canada, Limited **Supplier**

3620 Lakeshore Blvd West Toronto, Ontario, Canada

M8W 1P2

Castrol Industrial North America, Inc.

150 W. Warrenville Road Naperville, IL 60563

Product Information: +1-877-641-1600

EMERGENCY SPILL 1 (613) 996-6666 CANUTEC (Canada) 1 (703) 527-3887 CHEMTREC (USA) **INFORMATION:**

2. Hazards identification

Physical state Waxy solid. Color Opaque Tan. CAUTION! **Emergency overview**

MAY CAUSE RESPIRATORY TRACT, EYE AND SKIN IRRITATION.

Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Keep container

tightly closed and sealed until ready for use. Wash thoroughly after handling.

Routes of entry Fermal contact. Eye contact. Inhalation.

Potential health effects

May cause eye irritation. **Eyes** Skin May cause skin irritation.

Inhalation May cause respiratory tract irritation.

Ingestion Ingestion may cause gastrointestinal irritation and diarrhea.

See toxicological information (Section 11)

3. Composition/information on ingredients

Fighly refined base oil and additives.

CAS# Ingredient name %

₱araffin waxes and Hydrocarbon waxes 8002-74-2 20 - 25 petroleum wax 10 - 15 64742-42-3/

64742-60-5

(Canada)

Product name Iloform Stick Wax **Product code** 467222-US25 Page: 1/5

Version 2 Date of issue 02/16/2015. **Format Canada** Language ENGLISH (ENGLISH)

4. First aid measures

Eye contact In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get

medical attention if symptoms occur.

Skin contact Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash

clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms

occur.

Inhalation If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult,

give oxygen. Get medical attention.

Ingestion Do not induce vomiting unless directed to do so by medical personnel. Never give anything by

mouth to an unconscious person. If potentially dangerous quantities of this material have been

swallowed, call a physician immediately. Get medical attention if symptoms occur.

5. Fire-fighting measures

Flash point Open cup: 243°C (469.4°F) [Cleveland.]

Fire/explosion hazards No specific fire or explosion hazard.

Extinguishing media

Suitable Use an extinguishing agent suitable for the surrounding fire.

Not suitable Do not use water jet.

Fire-fighting procedures Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.

No action shall be taken involving any personal risk or without suitable training.

Hazardous combustion Combustion products may include the following:

products carbon oxides (CO, CO₂) (carbon monoxide, carbon dioxide)

Protective clothing (fire) Fire-fighters should wear appropriate protective equipment and self-contained breathing

apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions No action shall be taken involving any personal risk or without suitable training. Keep

unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is

inadequate. Put on appropriate personal protective equipment (see Section 8).

Environmental Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

precautions Inform the relevant authorities if the product has caused environmental pollution (sewers,

waterways, soil or air).

Methods for cleaning up

Large spill Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water

courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact

information and Section 13 for waste disposal.

Small spill Move containers from spill area. Avoid dust generation. Using a vacuum with HEPA filter will

reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of

via a licensed waste disposal contractor.

7. Handling and storage

Handling Put on appropriate personal protective equipment (see Section 8). Workers should wash hands

and face before eating, drinking and smoking. Do not ingest. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Wear appropriate respirator when ventilation is

inadequate.

Storage Store in accordance with local regulations. Store away from direct sunlight in a dry, cool and well-

ventilated area, away from incompatible materials (see Section 10). Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate

(Canada)

(ENGLISH)

containment to avoid environmental contamination.

Product name Iloform Stick Wax Product code 467222-US25 Page: 2/5

Version 2 Date of issue 02/16/2015. Format Canada Language ENGLISH

8. Exposure controls/personal protection

Occupational exposure limits

Ingredient name Occupational exposure limits

8 hrs OEL: 2 mg/m³ 8 hours. Issued/Revised: 4/2004 Form: Fume

CA British Columbia Provincial (Canada).

TWA: 2 mg/m³ 8 hours. Issued/Revised: 8/2004 Form: Fume

CA Ontario Provincial (Canada).

TWA: 2 mg/m³ 8 hours. Issued/Revised: 9/1994 Form: Fume

CA Quebec Provincial (Canada).

TWAEV: 2 mg/m³ 8 hours. Issued/Revised: 1/2000 Form: fume

petroleum wax ACGIH (United States).

TWA: 5 mg/m³ 8 hours. OSHA (United States). TWA: 5 mg/m³ 8 hours.

While specific OELs for certain components may be shown in this section, other components may be present in any mist, vapor or dust produced. Therefore, the specific OELs may not be applicable to the product as a whole and are provided for guidance only.

Control Measures Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist,

use process enclosures, local exhaust ventilation or other engineering controls to keep worker

exposure to airborne contaminants below any recommended or statutory limits.

Hygiene measures Wash hands, forearms and face thoroughly after handling chemical products, before eating,

smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before

reusing.

Personal protection

Eyes Avoid contact with eyes. Safety glasses with side shields or chemical goggles.

Skin and body Avoid contact with skin and clothing. Wear suitable protective clothing.

Respiratory Use adequate ventilation. Avoid breathing dust.

Hands The correct choice of protective gloves depends upon the chemicals being handled, the conditions

of work and use, and the condition of the gloves (even the best chemically resistant glove will break down after repeated chemical exposures). Most gloves provide only a short time of protection before they must be discarded and replaced. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Gloves should therefore be chosen in consultation with the supplier/manufacturer and

with a full assessment of the working conditions.

♥onsult your supervisor or Standard Operating Procedure (S.O.P) for special handling instructions.

9. Physical and chemical properties

Physical state Waxy solid.

Color Opaque Tan.

Odor Not available.

Odor threshold Not available.

Flash point Open cup: 243°C (469.4°F) [Cleveland.]

Specific gravity Not available.

pH Not available.Boiling point / Range Not available.

Melting point / Range >62.778°C (>145°F)

Product nameIloform Stick WaxProduct code467222-US25Page: 3/5Version 2Date of issue02/16/2015.Format CanadaLanguage ENGLISH(Canada)(ENGLISH)

Vapor pressure Not available. Vapor density Not available. **Evaporation rate** Not available. Solubility insoluble in water. Not available. LogK_{ow}

10. Stability and reactivity

Stability and reactivity The product is stable.

Possibility of hazardous

Under normal conditions of storage and use, hazardous reactions will not occur.

reactions

Not available.

Conditions to avoid Incompatibility with various substances

Reactive or incompatible with the following materials: oxidizing materials.

Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be

Hazardous polymerization

Under normal conditions of storage and use, hazardous polymerization will not occur.

11. Toxicological information

Potential chronic health effects

Carcinogenicity No known significant effects or critical hazards. Mutagenicity No known significant effects or critical hazards. **Teratogenicity** No known significant effects or critical hazards. **Fertility effects** No known significant effects or critical hazards. Reproductive effects No known significant effects or critical hazards.

Medical conditions aggravated by over-

exposure

None known.

12. Ecological information

Ecotoxicity

No testing has been performed by the manufacturer.

Persistence/degradability

The biodegradability of this material has not been determined.

Mobility Waxy solid. insoluble in water.

13. Disposal considerations

Waste information

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

NOTE: The generator of waste has the responsibility for proper waste identification (based on characteristic(s) or listing), transportation and disposal

Product name Iloform Stick Wax **Product code** 467222-US25 Page: 4/5

Version 2 Date of issue 02/16/2015. **Format Canada** Language ENGLISH (ENGLISH) (Canada)

14. Transport information

Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO)

15. Regulatory information

WHMIS (Canada) Not controlled under WHMIS (Canada).

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Other regulations

Canada inventory All components are listed or exempted. **United States inventory** All components are listed or exempted.

(TSCA 8b)

REACH Status The company, as identified in Section 1, sells this product in the EU in compliance with the current

requirements of REACH.

Australia inventory (AICS) All components are listed or exempted. China inventory (IECSC) All components are listed or exempted.

Japan inventory (ENCS) Not determined.

Korea inventory (KECI) All components are listed or exempted. **Philippines inventory** All components are listed or exempted. (PICCS)

Taiwan inventory (CSNN) Not determined.

16. Other information

Label requirements CAUTION!

MAY CAUSE RESPIRATORY TRACT, EYE AND SKIN IRRITATION.

History

Date of issue 02/16/2015. Date of previous issue 08/10/2010.

Prepared by **Product Stewardship**

Indicates information that has changed from previously issued version.

Notice to reader

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from BP Group.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact the BP Group to ensure that this document is the most current available. Alteration of this document is strictly prohibited.

Product name Iloform Stick Wax **Product code** 467222-US25 Page: 5/5 Version 2 Date of issue 02/16/2015.

Format Canada Language ENGLISH

> (ENGLISH) (Canada)